

Dimmer Compatibility Chart 0-10V Dimming LED

For Reference Only

Testing conducted by GlobaLux Lighting is not a substitute for and does not imply certification by an independent laboratory or any other standards certification. Refer to manufacturer specifications for more detailed information on product certifications and standards. Consult the dimmer manufacturer prior to installation to ensure compatibility.

Manufacturer	Product	Part Number	Dimmed Light Output Range
0 – 10V Type Di			
Lutron	Diva® (Gloss) Single Pole. Must be used with power pack model PP-DV (120-277V) or PP- 347H (347V)	DVTV	10% - 100%
	Nova® Single Pole. Must be used with power pack model PP-DV (120-277V), or PP-347H (347V)	NFTV	10% - 100%
	Maestro® 0-10V Dimmer and Occupancy/Vacancy Sensor, Single Pole/Multi-Location (120-277V)	MS-Z101-WH	10% - 100%
Leviton	IllumaTech® Single Pole/3-Way Preset 0-10VDC Slide Dimmer (120-277V)	IP710-DL	10% - 100%
	Decora® Single Pole/3-Way Preset 0-10VDC Slide Dimmer (120-277V)	DS710	10% - 100%

*NOTE: Refer to dimmer manufacturer's documentation for installation instructions and circuit details

Disclaimer: Minimum and maximum loads for LEDs and CFLs are given in number of lamps and may vary depending on the lamp being used. Testing conducted by Globalux Lighting is not a substitute for and does not imply certification by an independent laboratory or any other standards certification. Refer to manufacturer specifications for more detailed information on product certifications and standards.

773 S. Benson Ave. Ontario, CA 91762 Tel 909.591.7506 Fax 909.590.3220 www.globaluxlighting.com